


- NOTES:**
- UNIT WEIGHT IS APPROXIMATELY 6.43 LBS/SQFT
 - EACH PANEL NEEDS AN ELECTRONICS DRIVER AND POWER SUPPLY CONNECTED TO A 120V OUTLET RECEPTACLE
 - USE 18-2 CL3P CABLE FOR ELECTRICAL CONNECTIONS WITH A MAXIMUM WIRE RUN DISTANCE OF 330FT
 - RECOMMEND USING WATERPROOF INTER-WIRE CONNECTORS (EX. E-VOLT RED HEAT SHRINK BUTT CONNECTORS AWG 22-16)
 - MINIMUM OF 1 WALL SWITCH PER GROUP OF CLIC PANELS (NO LIMIT PER SWITCH)

DO NOT SCALE DRAWING		ALL UNITS IN MM UNLESS OTHERWISE NOTED	CARDINAL IG	SIZE A	MATERIAL	REV D
©3/16/2021 CARDINAL IG COMPANY This drawing and the ideas embodied herein represent the confidential and proprietary intellectual property of Cardinal IG and may be protected by copyrights, patents, trade secrets, know-how and other confidential or proprietary information. Reproduction or any use of this drawing is expressly prohibited without prior written permission of Cardinal IG and then only on the condition that this notice be included in any such reproduction.		STANDARD TOLERANCES UNLESS OTHERWISE NOTED X.X = ± .100 X.XX = ± .010 X.XXX = ± .005 $\angle = \pm .5^\circ$		DRAWING NO 9006 - CLiC LAMINATED CUSTOMER DRAWING DESCRIPTION DRAWING FOR CUSTOMER IMPLEMENTATION IN INTERIOR MARKETS		
DRAWN BY zfranz		DATE 03/10/2020	FINISH	SHEET 1 OF 3		



DO NOT SCALE DRAWING

ALL UNITS IN MM UNLESS OTHERWISE NOTED

CARDINAL IG

SIZE A MATERIAL

REV D

©3/16/2021 CARDINAL IG COMPANY

This drawing and the ideas embodied herein represent the confidential and proprietary intellectual property of Cardinal IG and may be protected by copyrights, patents, trade secrets, know-how and other confidential or proprietary information. Reproduction or any use of this drawing is expressly prohibited without prior written permission of Cardinal IG and then only on the condition that this notice be included in any such reproduction.

STANDARD TOLERANCES UNLESS OTHERWISE NOTED

X.X = ± .100
X.XX = ± .010
X.XXX = ± .005

∠ = ± .5°

DRAWING NO

9006 - CLiC LAMINATED CUSTOMER DRAWING

DESCRIPTION

DRAWING FOR CUSTOMER IMPLEMENTATION IN INTERIOR MARKETS

DRAWN BY

zfranz


DATE

03/10/2020

FINISH

SHEET 2 OF 3

REV	DATE	BY	DESCRIPTION
A	07/13/2020	ZTF	ADDED PAGES 2 AND 3, ADDED SECTION VIEWS B-B AND C-C, NOTES ADDED DETAIL A
B	08/14/2020	ZTF	CHANGED MINIMUM WIDTH OF NON-CONDUCTIVE SIDE TO 0.51 METERS
C	01/21/2021	ZTF	CHANGED DWG NO AND TITLE BLOCK, BUSBAR MAX TO 0.625", GLAZING SYSTEM TO 0.750", MOVED O.A.T. TO PAGE 2, ADDED CLIP AND REMOVED SETTING BLOCK ON SECTION C-C
D	03/16/2021	ZTF	CHANGED MAX HEIGHT TO 2.44 METERS

DO NOT SCALE DRAWING		ALL UNITS IN MM UNLESS OTHERWISE NOTED	CARDINAL IG 	SIZE A	MATERIAL	REV D
©3/16/2021 CARDINAL IG COMPANY This drawing and the ideas embodied herein represent the confidential and proprietary intellectual property of Cardinal IG and may be protected by copyrights, patents, trade secrets, know-how and other confidential or proprietary information. Reproduction or any use of this drawing is expressly prohibited without prior written permission of Cardinal IG and then only on the condition that this notice be included in any such reproduction.	STANDARD TOLERANCES UNLESS OTHERWISE NOTED X.X = ± .100 X.XX = ± .010 X.XXX = ± .005 $\angle = \pm .5^\circ$	DRAWING NO 9006 - CLiC LAMINATED CUSTOMER DRAWING		DESCRIPTION DRAWING FOR CUSTOMER IMPLEMENTATION IN INTERIOR MARKETS		
		DRAWN BY zfranz	DATE 03/10/2020	FINISH	SHEET 3 OF 3	