


CABLE LEGEND	
	Wire with Plug to Building Power
	2-Conductor Pre-Connected (24VDC)
	2-Conductor 18 Gauge 100m Max
	Note Call-Out



NOTES

- EACH PANEL NEEDS AN ELECTRONICS CONTROLLER AND POWER SUPPLY CONNECTED TO A 120V OUTLET RECEPTACLE
- USE 18 GAUGE 2 CONDUCTOR CL3P SHIELDED CABLE FOR ELECTRICAL CONNECTIONS WITH A MAXIMUM WIRE RUN DISTANCE OF 100 METERS
- COMPONENTS MUST BE INSTALLED WITHIN A SUITABLE PLENUM RATED ENCLOSURE IF MOUNTED IN PLENUM SPACE
- MINIMUM OF 1 WALL SWITCH PER GROUP OF CLiC PANELS (NO LIMIT PER SWITCH)
- SWITCH DEVICE CAN BE REGULAR LIGHT SWITCH, CONTACT SWITCH, OR RELAY
- CABLE CONNECTION FROM CONTROLLER TO CLiC PANEL MUST MAINTAIN CONSTANT CONNECTION. DO NOT INTERRUPT GLASS LINE IN ANY WAY

DO NOT SCALE DRAWING		ALL UNITS IN MM UNLESS OTHERWISE NOTED	CARDINAL IG	SIZE A	MATERIAL	REV B
©1/27/2021 CARDINAL IG COMPANY This drawing and the ideas embodied herein represent the confidential and proprietary intellectual property of Cardinal IG and may be protected by copyrights, patents, trade secrets, know-how and other confidential or proprietary information. Reproduction or any use of this drawing is expressly prohibited without prior written permission of Cardinal IG and then only on the condition that this notice be included in any such reproduction.		STANDARD TOLERANCES UNLESS OTHERWISE NOTED X.X = ± .100 X.XX = ± .010 X.XXX = ± .005 ∠ = ± .5°	DRAWING NO 9007 - CLiC ELECTRICAL CUSTOMER DRAWING		DESCRIPTION CONNECT BLOCK DIAGRAM DWG FOR CUSTOMER IMPLEMENTATION IN INTERIOR MARKETS	
DRAWN BY pwhaley		DATE 06/29/2020	FINISH	SHEET 1 OF 2		

5

4


3

2

1

REV	DATE	BY	DESCRIPTION
B	01/27/2021	ZTF	ADDED LEGEND & PAGE 2, CHANGED 'DRIVER' TO 'CONTROLLER', LINES, NAME AND TITLE BLOCK



DO NOT SCALE DRAWING		ALL UNITS IN MM UNLESS OTHERWISE NOTED	CARDINAL IG 	SIZE A	MATERIAL	REV B
©1/27/2021 CARDINAL IG COMPANY This drawing and the ideas embodied herein represent the confidential and proprietary intellectual property of Cardinal IG and may be protected by copyrights, patents, trade secrets, know-how and other confidential or proprietary information. Reproduction or any use of this drawing is expressly prohibited without prior written permission of Cardinal IG and then only on the condition that this notice be included in any such reproduction.		STANDARD TOLERANCES UNLESS OTHERWISE NOTED X.X = ± .100 X.XX = ± .010 X.XXX = ± .005 $\angle = \pm .5^\circ$	DRAWING NO 9007 - CLiC ELECTRICAL CUSTOMER DRAWING		DESCRIPTION CONNECT BLOCK DIAGRAM DWG FOR CUSTOMER IMPLEMENTATION IN INTERIOR MARKETS	
DRAWN BY pwhaley		DATE 06/29/2020	FINISH	SHEET 2 OF 2		